

Evidence-Based Review of Herbal and Natural Compound Interventions for Tinnitus: Efficacy, Dosage, and Participant Demographics

Executive Summary

Tinnitus, characterized by the perception of sounds such as crackling or whistling in the absence of external noise, significantly impacts the quality of life for millions globally.¹ This pervasive auditory phenomenon, which can be constant or intermittent, often leads to considerable psychological distress, including sleep disturbances, anxiety, and depression.³ Despite its widespread prevalence, the precise causes of tinnitus remain poorly understood, and effective, universally curable treatments have yet to be established.¹ This ongoing therapeutic challenge underscores the critical need for continued research into diverse treatment modalities, including natural and herbal compounds.

This report synthesizes findings from clinical studies and reviews on various herbal and natural compounds, evaluating their demonstrated efficacy, specific dosages, and participant demographics. While the evidence base varies, several interventions have shown promise in alleviating tinnitus symptoms for at least some individuals. Notably, specific formulations of *Ginkgo biloba*, particularly when combined with antioxidants or used in patients with co-occurring cognitive impairment, have demonstrated beneficial effects. Multi-ingredient supplements like MemoVigor 2 have shown significant improvements across multiple tinnitus measures. Furthermore, individual compounds such as Korean Red Ginseng (at higher doses), Acetyl-L-Carnitine, Magnesium, and Açaí extract have presented encouraging results in reducing tinnitus severity and associated handicap. The review highlights the importance of distinguishing between general tinnitus and tinnitus linked to specific underlying conditions, as this distinction profoundly influences treatment outcomes. It also emphasizes the potential of synergistic effects from multi-component interventions and the ongoing need for rigorous, well-designed clinical trials to solidify the evidence base for these natural therapies.

Introduction

Tinnitus is a complex auditory phenomenon defined by the conscious perception of sound within the ears or head without an external source.¹ These phantom sounds, which can manifest as buzzing, hissing, whistling, or crackling, affect a substantial portion of the adult population, with prevalence rates estimated between 10.1% and 14.5%.¹ The condition can severely diminish a patient's quality of life, leading to

significant psychological burdens including sleep disturbances, anxiety, depression, and difficulty concentrating.³ The underlying mechanisms of tinnitus are not yet fully elucidated, contributing to the absence of a universally effective cure.¹ Current understanding suggests that tinnitus often involves abnormal activity within the central auditory system, including plastic transformations and atypical connections with non-auditory neural systems.³ This complexity necessitates a multifaceted approach to treatment, prompting exploration into various interventions, including pharmacological, psychotherapeutic, and complementary therapies.

Given the limitations of conventional treatments and the pervasive impact of tinnitus, there is considerable interest in identifying natural and herbal compounds that might offer relief. This report aims to systematically review the available evidence for selected herbs and natural compounds, focusing on those that have demonstrated improvement in tinnitus for at least some individuals in studies. The analysis will delve into specific study details, including dosages, participant demographics, and the nature of the observed relief, whether total or temporary. By synthesizing this information, the report seeks to provide a clearer understanding of the potential role of these natural interventions in tinnitus management, while also highlighting the nuances and limitations of the existing research.

Herbal and Natural Compounds with Evidence of Tinnitus Improvement

A growing body of research explores the potential of various herbal and natural compounds in alleviating tinnitus symptoms. While the efficacy and robustness of evidence vary, several agents have demonstrated positive effects in clinical or preclinical settings.

Ginkgo biloba (EGb 761)

Ginkgo biloba extract, particularly the standardized EGb 761, has been extensively studied for its potential effects on tinnitus. Early meta-analyses, such as a 2009 Cochrane review, found no conclusive evidence that *Ginkgo biloba* is effective for tinnitus when it is the primary complaint.¹ This finding underscored the importance of patient selection and the specific etiology of tinnitus when evaluating treatment efficacy.

However, subsequent meta-analyses have presented a more nuanced picture, revealing benefits in specific patient populations. A 2018 meta-analysis of five clinical trials, involving 1,972 patients aged 50-98 years, indicated that a daily dose of 240 mg of EGb 761 for 22-26 weeks was clearly superior to placebo in alleviating both tinnitus

and dizziness in elderly patients with mild to moderate dementia.⁸ This suggests that *Ginkgo biloba*'s effects on tinnitus may be non-specific, stemming from its broader improvements in overall cognitive functioning in individuals with cognitive insufficiency, where tinnitus might be linked to central vascular insufficiency or neural metabolic disorders.¹ The observed improvements in these studies were statistically significant, with weighted mean differences for changes in tinnitus severity favoring EGb 761.⁹

Further evidence supporting *Ginkgo biloba*'s utility comes from a study where it was administered both singly and in combination with antioxidants to tinnitus patients aged 40-70 years. In this study, a dosage of 60 mg twice a day of *Ginkgo biloba* combined with antioxidants led to marked improvements in Tinnitus Handicap Index (THI) scores, showing a 36% decrease, and Visual Analogue Scale (VAS) scores, with a 22.6% decrease.¹⁰ These improvements in quality of life and subjective tinnitus perception were statistically significant, suggesting a potential synergistic effect when combined with other antioxidant compounds.

A retrospective cohort study in Germany, analyzing data from over 111,000 patients, revealed that *Ginkgo biloba* extract prescriptions were associated with a significantly lower likelihood of repeat visits to ENT specialists for tinnitus compared to systemic corticosteroids or pentoxifylline.¹¹ This real-world data suggests that, in clinical practice, *Ginkgo biloba* is frequently prescribed for acute tinnitus and may contribute to patient satisfaction or perceived long-term relief, reducing the need for subsequent consultations.

The proposed mechanisms of action for *Ginkgo biloba* include vasoregulatory effects that increase blood flow, antagonism of platelet activating factor (PAF), changes in neuron metabolism, free radical scavenging properties, anti-inflammatory effects, and enhancement of neuronal plasticity.¹ These diverse pharmacological activities may contribute to its observed benefits, particularly in conditions where vascular or neurological dysfunction plays a role in tinnitus pathogenesis. However, it is important to acknowledge that some sources strongly caution against the use of *Ginkgo biloba* for primary tinnitus, citing a lack of consistent evidence in well-designed placebo-controlled trials and highlighting the potential for adverse effects.¹³ This divergence in opinion underscores the need for careful patient selection and a thorough understanding of the specific context in which *Ginkgo biloba* might be beneficial.

MemoVigor 2 (Combination Supplement)

MemoVigor 2 is a multi-ingredient food supplement that has been investigated for its

efficacy in treating recent-onset idiopathic tinnitus. A prospective, single-center, randomized, double-blind, placebo-controlled clinical trial involving 204 patients (aged 18-70 years) with tinnitus of recent onset (≤ 12 months) evaluated the effects of this supplement.⁵ Participants in the intervention group received one 900 mg tablet of MemoVigor 2 daily for three months.⁵

The study reported significant improvements across various tinnitus measures in the intervention group. These included reductions in tinnitus pitch, loudness (at both tinnitus pitch and 1 kHz), and Minimum Masking Level (MML), as well as an increase in residual inhibition (RI).⁵ Questionnaire scores, such as the Tinnitus Handicap Inventory (THI) and Mini Tinnitus Questionnaire (Mini-TQ), also diminished significantly, indicating a reduction in the perceived handicap and discomfort associated with tinnitus.⁵ While the placebo group also showed some improvement, the degree of decrease in these measures was significantly greater in the MemoVigor 2 group.⁵ The participants' global impression of change score further confirmed greater improvement in the intervention group.⁵

MemoVigor 2 contains a comprehensive blend of ingredients, including various vitamins (B1, B6, B12, C, E), plant extracts (*Ginkgo biloba* and *Bilberry*), acetyl-L-carnitine, trace minerals (Magnesium, Potassium, Selenium), phospholipids (including phosphatidylserine, phosphatidylethanolamine, phosphatidylcholine, phosphatidylinositol), linoleic acid, and L-glutamic acid.⁵ Many of these components possess antioxidant activity, which is believed to be the primary mechanism through which MemoVigor 2 exerts its beneficial effects.⁵ The positive outcomes observed with this combination supplement suggest that a multi-targeted approach, addressing various physiological pathways, may be more effective for tinnitus management than single-ingredient interventions.

Korean Red Ginseng (KRG)

Korean Red Ginseng (KRG) has been explored as a potential treatment for chronic idiopathic tinnitus, particularly due to its anti-reactive oxygen species (ROS) effects, which are relevant given that inner ear cell damage is often linked to ROS production.¹⁵ An open-label randomized controlled pilot study enrolled 61 patients with chronic tinnitus to investigate the clinical outcomes and health-related quality of life after KRG supplementation.¹⁵

Patients were randomized into three groups: a control group receiving 160 mg/day *Ginkgo biloba* extract, and two intervention groups receiving either 1500 mg/day or 3000 mg/day of KRG, all for 4 weeks.¹⁵ The study found that significant improvements in Tinnitus Handicap Inventory (THI) scores were observed specifically in patients

receiving the higher dose of 3000 mg/day KRG.¹⁵ Furthermore, this higher dosage also significantly improved "role emotional" and "mental health" scores in the Short Form-36 Health Survey (SF-36), indicating a positive impact on the patients' mental well-being.¹⁵ Interestingly, there was no statistically significant difference in Visual Analogue Scale (VAS) scores across any of the groups, suggesting that while KRG may reduce the perceived handicap and improve mental health aspects related to tinnitus, it might not directly alter the subjective loudness or intensity of the tinnitus sound itself.¹⁵ The study's findings suggest that KRG, particularly at higher doses, may be a promising therapeutic option for improving tinnitus symptoms and overall mental well-being in chronic tinnitus patients.

Acetyl-L-Carnitine (ALCAR)

Acetyl-L-Carnitine (ALCAR), an antioxidant, has been investigated for its potential to provide relief from tinnitus. A case study involving a 41-year-old female with a history of hearing loss and tinnitus explored the benefits of ALCAR.¹⁷ The patient took 500 mg of ALCAR twice a day for 30 consecutive days.¹⁷

Following treatment, the patient's subjective report indicated that her tinnitus became "less annoying and barely noticeable during the day," a significant improvement supported by post-treatment tinnitus questionnaire scores.¹⁷ Beyond subjective relief, objective measures also showed positive changes. Audiological evaluations indicated marginal improvement in pure-tone thresholds, leading to a classification of clinically normal hearing in both ears post-treatment. Distortion-product otoacoustic emissions increased, and auditory brainstem response peak V amplitude growth showed a reduction, attributed to a possible active gating mechanism in the auditory brainstem.¹⁷ Functional MRI recordings revealed a statistically significant reduction in brain activity in several regions, including the auditory cortex, in response to acoustic stimuli. Concurrently, cerebral blood flow increased in the auditory cortex, and functional connectivity MRI indicated increased connectivity between the auditory cortices while decreasing connectivity between the auditory cortex and certain regions of the "default mode network".¹⁷ These multi-modal changes, encompassing both subjective experience and objective neurological and audiological parameters, suggest that ALCAR may be a valuable pharmacological option for tinnitus treatment, likely due to its antioxidant properties and influence on neural pathways.

Magnesium

Magnesium, an essential mineral, plays a crucial role in various physiological processes, including neural function and neurotransmission.¹⁸ Its potential benefit in lessening the severity of tinnitus has been explored in clinical studies. One single-arm,

open-label, before-and-after study involved 26 patients (19 completed) with moderate to very severe tinnitus, all aged 18 years and older.¹⁹ Participants received oral magnesium supplementation at a dose of 532 mg per day for three months.¹⁹

The study demonstrated a significant decrease in the extent of handicap as measured by the Tinnitus Handicap Inventory (THI) / Tinnitus Severity Scale (TSS) scores (P=.03).¹⁹ For patients who initially reported slight or greater impairment, there was a significant reduction in the severity of their tinnitus at post-testing (P=.008).¹⁹ These findings suggest that magnesium supplementation may have a beneficial effect on the perception of tinnitus-related handicap. The mechanism is thought to involve magnesium's role as a key regulator of calcium channels in neurotransmission and its importance for enzyme activity within brain cells, potentially facilitating nerve regeneration after hearing loss.¹⁸ Another study further supported the relevance of magnesium by finding significantly lower serum magnesium concentrations in patients with severe bilateral subjective tinnitus (mean age 48.5±6.5 years, range 43-65 years) compared to healthy controls.¹⁸ This association between lower magnesium levels and tinnitus severity highlights magnesium's potential pathophysiological importance and its promise as a therapeutic target.

Açaí Extract

Açaí extract, known for its antioxidant properties, has been investigated for its effects on chronic tinnitus. A randomized, placebo-controlled clinical trial included 30 individuals, with an average age of 50.5 years (14 males, 16 females), who experienced chronic tinnitus with normal hearing thresholds or mild sensorineural hearing loss.²¹ Participants in the Açaí group received 100 mg of açaí extract as an oral antioxidant supplement for three months.²¹

The study's results indicated a significant reduction in the discomfort associated with tinnitus for the açaí group, as verified through Tinnitus Handicap Inventory (THI) scores (p = 0.006).²¹ While the placebo group also showed some changes in anxiety symptoms, the Açaí group specifically demonstrated a favorable effect on tinnitus discomfort, irrespective of the underlying etiology. This suggests that antioxidant supplementation, such as that provided by açaí extract, may serve as a valuable treatment modality for reducing the subjective burden of tinnitus.²¹

Herbs and Natural Compounds with Limited or No Direct Evidence for Tinnitus

While the primary focus is on compounds with demonstrated efficacy, it is equally important to acknowledge substances that, despite being listed or having general

health benefits, lack direct, robust evidence for tinnitus treatment in the provided research.

Bilberry Extract: While included as a component in the multi-ingredient MemoVigor 2 supplement, which showed positive results for tinnitus, no standalone studies specifically evaluating bilberry extract for tinnitus were identified.⁵ Its contribution to the overall effect of MemoVigor 2 is likely part of the broader antioxidant activity.

L-Ascorbic Acid (Vitamin C): Preclinical research using a noise-induced tinnitus animal model (rats) demonstrated that Vitamin C effectively reduced elevated spontaneous firing rates and glutamate levels in the auditory cortex, suggesting a neuroprotective role by upregulating glutamate transporter-1 (GLT-1).²² However, direct human clinical trials specifically investigating L-Ascorbic Acid as a standalone treatment for tinnitus were not found in the provided material.

Lycium chinense (Goji Berry): This herb is recognized in Traditional Chinese Medicine (TCM) for various ailments, including tinnitus, and is believed to benefit the liver and kidney channels.¹ A systematic review noted its traditional use for tinnitus but highlighted that there is "not enough research on the biochemistry, pharmacology and physiology of goji berry, its reliability and use" for this indication.²⁵ A case series on vision problems in older adults (50-70 years) mentioned tinnitus as a TCM indication for Goji Berry but did not present a direct clinical trial for tinnitus itself.²⁴

Evening Primrose Oil (EPO): A systematic review assessed EPO's efficacy across various inflammatory conditions, reporting mixed results for some and no effectiveness for others. Crucially, the review did not indicate any demonstrated effectiveness of Evening Primrose Oil in the context of tinnitus.²⁶

Linoleic Acid: This fatty acid is listed as a component of MemoVigor 2.⁵ While research has explored the "gut-brain-ear" axis and the potential influence of gut microbiota and serum metabolites on tinnitus pathogenesis, no direct studies on linoleic acid as a standalone intervention for tinnitus were provided.³ Its role, if any, in tinnitus improvement appears to be within the context of a multi-component supplement.

Avocado Extract: A systematic review and meta-analysis investigated dietary factors and tinnitus incidence, finding a negative correlation with fruit intake.²⁷ However, the research did not provide specific studies on avocado extract or direct intervention trials demonstrating its efficacy for tinnitus.

Chamomile Extract: A review of chamomile discusses its traditional medicinal uses

and properties, including anti-inflammatory, antioxidant, and analgesic effects, but no information regarding its direct application or efficacy in treating tinnitus was found.²⁸

Chlorella Extract (C-phycocyanin/Spirulina platensis): An animal study (mice) showed that C-phycocyanin, an active component of *Spirulina platensis*, significantly reduced salicylate-induced tinnitus and down-regulated inflammatory gene expressions in the cochlea and inferior colliculus.² While promising in a preclinical model, this finding requires validation through human clinical trials for tinnitus.

Oolong Tea Extract: A study on aged subjects (over 55 years) investigated the effects of Oolong tea drinking on auditory functions. It found a positive association between Oolong tea consumption and better central auditory function (measured by pitch pattern sequence scores), particularly in males. However, no significant association was found with peripheral hearing thresholds, and the study did not directly assess or demonstrate an effect on tinnitus.²⁹

Lavender Extract: Reviews of lavender highlight its traditional therapeutic properties, including anxiolytic, mood stabilizer, sedative, analgesic, and neuroprotective effects, relevant for various neurological disorders.³⁰ Given the strong psychological component often associated with tinnitus, lavender's calming properties could be indirectly beneficial for related distress, but no direct studies on its efficacy for tinnitus treatment were identified.

Melissa Extract (Lemon Balm): A clinical trial demonstrated that supplementation with a phospholipid carrier-based *Melissa officinalis* extract improved emotional distress, anxiety, stress, and overall mental well-being in healthy adults.³¹ As emotional distress and anxiety are common comorbidities with tinnitus, Melissa extract could potentially offer indirect relief by addressing these associated symptoms. However, no direct evidence of its efficacy in treating tinnitus itself was provided.

Grape Seed Extract: This ingredient is listed in a commercial supplement (Cortexi) marketed for hearing health. However, a review of Cortexi's ingredients explicitly states "no tinnitus evidence" for grape seed extract, indicating a lack of scientific proof for its direct effect on tinnitus symptoms.³²

Chitosan Extract: Research on chitosan focused on its role as a particulate hydrogel drug carrier for intratympanic administration of hearing-protecting drugs in an animal model of ototoxicity.³³ This application is related to drug delivery for hearing issues rather than chitosan itself being a direct treatment for tinnitus.

Milk Extract / Dairy: An observational study found that dairy intake was associated

with reduced odds of persistent tinnitus.³⁴ This suggests a potential dietary link but does not represent an intervention study with a specific "milk extract" or direct therapeutic application.

Glutamic Acid: Glutamate is identified as the main excitatory neurotransmitter in the hearing brain, and its receptors are associated with neural activity patterns.³⁵ L-Glutamic acid is also a component of MemoVigor 2.⁵ While its role in auditory pathways is recognized, no direct intervention studies evaluating glutamic acid as a standalone treatment for tinnitus were provided.

Arnica Extract: Arnica montana is an active ingredient in an unapproved homeopathic product marketed for temporary relief of ear sounds, including buzzing and whistling.³⁶ However, the product label explicitly states, "This product has not been clinically tested," indicating a lack of scientific evidence for its efficacy in treating tinnitus.³⁶

Other Herbs (Unspecified or Indirect Evidence): Several other herbs were mentioned in the provided snippets, but without direct studies linking them to tinnitus improvement. These include:

- **Comfrey extract:** Studies focused on its anti-inflammatory, wound-healing, and pain-relieving effects for musculoskeletal issues, not tinnitus.³⁷
- **Mallow extract:** Part of a multi-component product for acute non-bacterial tonsillitis in children, with no mention of tinnitus.³⁸
- **Neem (Indian Lilac) extract:** Clinical studies focused on its effects on glycemic control, endothelial dysfunction, and inflammation in type 2 diabetes, with no reference to tinnitus.³⁹
- **Botanpi (Paeonia × suffruticosa) extract:** A review highlighted its antioxidant, anti-inflammatory, and cytoprotective properties, among others, but did not mention tinnitus as a therapeutic application.⁴⁰
- **Cornflower extract:** Animal studies investigated its role in alleviating dexamethasone-induced muscle wasting and modulating gut microbiota, with no direct link to tinnitus.⁴¹
- **Lemongrass extract:** A scoping review identified its clinical applications in periodontitis, gingivitis, and skin health, but not tinnitus.⁴²
- **Okra extract:** Animal studies explored its effects on brain-gut peptides and intestinal microorganisms in sleep-deprived rats, showing antioxidant and anti-inflammatory activities, but no direct tinnitus evidence.⁴³
- **Impatiens extract:** Mentioned in a systematic review for its suppressive effects on inflammasome complexes, a general anti-inflammatory property, but no

specific link to tinnitus.⁴⁴

- **Almond extract:** A narrative review on sensorineural hearing loss and diet suggested that limiting certain foods could protect hearing, but did not mention almond extract or its direct effect on tinnitus.⁴⁵
- **Lychee extract:** Research focused on its potential to reduce cognitive and molecular deficits in an animal model of Alzheimer's disease, without any mention of tinnitus.⁴⁶

The absence of direct clinical evidence for these compounds does not necessarily imply ineffectiveness, but rather highlights the current gaps in research. For many of these, the reported benefits are either indirect (e.g., addressing comorbidities like anxiety) or based on traditional use without modern clinical validation for tinnitus.

Discussion and Nuance

The exploration of herbal and natural compounds for tinnitus reveals a landscape of varying scientific rigor and clinical applicability. A critical distinction emerges when evaluating the efficacy of these interventions: whether the tinnitus is a primary complaint or a symptom associated with another underlying condition. For instance, initial broad meta-analyses suggested *Ginkgo biloba* was ineffective for primary tinnitus.¹ However, subsequent, more targeted analyses demonstrated its clear superiority over placebo in alleviating tinnitus specifically when it co-occurs with dementia in elderly patients.⁸ This suggests that *Ginkgo biloba*'s benefits in such cases may stem from its known effects on cerebral blood flow, neuronal metabolism, and cognitive function, which are relevant to the etiology of tinnitus in cognitive insufficiency.¹ This nuance is crucial, as it indicates that a compound might be effective for a specific subpopulation or etiology of tinnitus, even if it does not show broad efficacy for all forms.

The observed improvements in tinnitus are often subjective, relying on patient-reported outcomes such as changes in loudness, annoyance, or perceived handicap, frequently measured by validated questionnaires like the Tinnitus Handicap Inventory (THI) and Visual Analogue Scale (VAS).¹ While these measures are vital for assessing a patient's lived experience, they can be influenced by the well-documented placebo effect in tinnitus research.⁵ This phenomenon, where even a placebo can lead to perceived improvement, underscores the importance of rigorous double-blind, placebo-controlled trial designs to ascertain true therapeutic effects. Studies like those on MemoVigor 2, which demonstrated significantly greater improvements in the intervention group compared to placebo, provide stronger

evidence of efficacy.⁵

The success of multi-ingredient supplements, such as MemoVigor 2, which combines vitamins, plant extracts, amino acid derivatives, minerals, and phospholipids, points towards the potential for synergistic effects.⁵ Tinnitus is a multifactorial condition, and a blend of compounds targeting various physiological pathways—such as antioxidant activity, neuroprotection, and improved vascular flow—might offer a more comprehensive approach than single-compound interventions.⁵ This highlights a broader implication: complex biological systems like the auditory and neural networks involved in tinnitus may respond more favorably to a multi-pronged intervention that addresses multiple contributing factors.

The varying levels of evidence across different compounds also necessitate careful interpretation. While randomized controlled trials (RCTs) and meta-analyses provide the highest level of evidence, some promising findings for compounds like Acetyl-L-Carnitine are currently limited to case studies.¹⁷ Similarly, animal studies, such as those on L-Ascorbic Acid or Chlorella extract, offer valuable insights into potential mechanisms but require human validation.² Traditional uses, as noted for *Lycium chinense*, provide historical context but do not substitute for modern clinical evidence.²³ The lack of direct human clinical trials for many traditionally used herbs emphasizes the need for further scientific investigation to substantiate their efficacy and safety for tinnitus.

Moreover, the mechanisms underlying tinnitus relief are diverse. Compounds like *Ginkgo biloba*, Acetyl-L-Carnitine, Korean Red Ginseng, and Açaí extract are often linked by their antioxidant and anti-inflammatory properties.⁵ This commonality suggests that oxidative stress and inflammation may play significant roles in the pathophysiology of tinnitus, and interventions that mitigate these processes could be broadly beneficial. Magnesium's involvement in neurotransmission and nerve regeneration also points to the importance of neural pathway modulation.¹⁸ The emerging concept of the "gut-brain-ear axis" further expands the understanding of tinnitus pathogenesis, suggesting that gut microbiota dysbiosis could influence tinnitus through changes in serum metabolites and neuroinflammatory responses.³ This broader understanding of interconnected physiological systems opens new avenues for therapeutic development, including interventions that might indirectly impact tinnitus by improving overall systemic health.

The current body of evidence, while encouraging for certain compounds and specific tinnitus presentations, underscores the ongoing challenges in tinnitus research. These challenges include the subjective nature of tinnitus perception, its heterogeneous

etiologies, and the need for standardized outcome measures across studies. Future research should prioritize large-scale, well-designed, placebo-controlled human trials that account for tinnitus subtypes, co-morbidities, and long-term effects. This will enable more definitive conclusions regarding the efficacy, optimal dosages, and safety of these natural interventions, moving beyond statistical significance to demonstrate true clinical importance.

Conclusions

The comprehensive review of herbal and natural compound interventions for tinnitus reveals a nuanced landscape of efficacy, dosage, and participant-specific benefits. While a universal cure for tinnitus remains elusive, the evidence suggests that certain natural compounds can offer significant relief for at least a subset of individuals, particularly when the tinnitus is associated with specific underlying conditions or when interventions are multi-faceted.

Key conclusions from the analysis include:

- ***Ginkgo biloba (EGb 761) Efficacy is Context-Dependent:*** While not consistently effective for primary tinnitus, *Ginkgo biloba* (specifically EGb 761 at 240 mg/day for 22-26 weeks) has demonstrated clear superiority over placebo in alleviating tinnitus when it co-occurs with mild to moderate dementia in elderly patients (50-98 years old).⁸ Its benefits in this context likely stem from its broader neurovascular and cognitive effects rather than a direct anti-tinnitus action.¹ Additionally, *Ginkgo biloba* (60 mg twice daily) combined with antioxidants showed marked improvements in THI and VAS scores in patients aged 40-70 years.¹⁰ Real-world data also indicates that *Ginkgo biloba* prescriptions are associated with fewer repeat ENT visits for tinnitus.¹¹
- **Combination Therapies Show Promise:** The multi-ingredient supplement MemoVigor 2 (900 mg daily for 3 months), containing *Ginkgo biloba*, Bilberry, Acetyl-L-Carnitine, vitamins, minerals, and phospholipids, significantly improved various tinnitus measures (pitch, loudness, MML, RI, THI, Mini-TQ) in patients aged 18-70 years with recent-onset idiopathic tinnitus.⁵ This suggests that a synergistic approach, targeting multiple physiological pathways, may be more effective for tinnitus management.
- **Specific Compounds Offer Targeted Benefits:**
 - **Korean Red Ginseng (KRG):** A dosage of 3000 mg/day for 4 weeks significantly improved THI scores and mental health aspects in chronic tinnitus patients.¹⁵
 - **Acetyl-L-Carnitine (ALCAR):** A case study demonstrated that 500 mg twice

daily for 30 days led to subjective relief and objective improvements in audiological and neurological measures in a 41-year-old female.¹⁷

- **Magnesium:** Supplementation at 532 mg per day for 3 months significantly decreased tinnitus-related handicap in patients aged 18 and older with moderate to severe tinnitus.¹⁹ Lower serum magnesium levels have also been correlated with subjective tinnitus severity.¹⁸
- **Açaí Extract:** 100 mg of açaí extract daily for 3 months reduced tinnitus discomfort in individuals with chronic tinnitus, regardless of etiology.²¹
- **Antioxidant and Anti-inflammatory Mechanisms are Common:** Many of the compounds showing promise (e.g., MemoVigor 2, KRG, ALCAR, Açaí, and *Ginkgo biloba*) share antioxidant and anti-inflammatory properties, suggesting that oxidative stress and inflammation may be critical targets for tinnitus intervention.⁵
- **Varying Levels of Evidence Necessitate Caution:** While some interventions are supported by randomized controlled trials and meta-analyses, others rely on preclinical studies, case reports, or traditional use without robust clinical validation for tinnitus. Compounds like Evening Primrose Oil, Chamomile, Lavender, and many others listed, lack direct clinical evidence for tinnitus treatment in the provided research.
- **Importance of Patient-Reported Outcomes and Placebo Effect:** The subjective nature of tinnitus necessitates the use of patient-reported outcome measures. However, the known placebo effect in tinnitus studies underscores the critical need for well-designed, placebo-controlled trials to differentiate true therapeutic effects from non-specific improvements.⁵

Recommendations for Future Research and Clinical Practice:

- **Targeted Clinical Trials:** Future research should focus on conducting large-scale, placebo-controlled clinical trials for promising single compounds (e.g., ALCAR, Magnesium, Açaí) and multi-ingredient formulations to confirm their efficacy across diverse tinnitus etiologies and patient demographics.
- **Subtype-Specific Interventions:** Given the varied responses to treatments, studies should aim to identify specific tinnitus subtypes or patient characteristics that are more likely to respond to particular herbal or natural compounds.
- **Mechanism-Based Research:** Further investigation into the precise molecular and physiological mechanisms by which these compounds alleviate tinnitus could lead to the development of more targeted and effective therapies.
- **Standardization of Outcome Measures:** Consistent use of validated and clinically meaningful outcome measures (e.g., THI, VAS, MML, RI) across studies would facilitate comparison and meta-analysis of results.
- **Long-Term Efficacy and Safety:** Research should also assess the long-term

efficacy and safety profiles of these interventions, including potential interactions with conventional medications.

- **Clinical Guidance:** Healthcare professionals should consider the nuanced evidence, particularly for *Ginkgo biloba* in specific populations, and advise patients on the current limitations and potential benefits of these natural options, always emphasizing consultation with a qualified medical professional before initiating any new treatment.

In conclusion, while the journey to a definitive tinnitus cure continues, certain herbal and natural compounds offer encouraging avenues for symptom management and improved quality of life. A rigorous, evidence-based approach is paramount to harnessing their full therapeutic potential responsibly.

Works cited

1. Ginkgo biloba for tinnitus - PMC, accessed June 2, 2025, <https://pmc.ncbi.nlm.nih.gov/articles/PMC11669941/>
2. Effects of C-phycocyanin and Spirulina on Salicylate-Induced Tinnitus, Expression of NMDA Receptor and Inflammatory Genes - PMC, accessed June 2, 2025, <https://pmc.ncbi.nlm.nih.gov/articles/PMC3606192/>
3. Characteristic alterations of gut microbiota and serum metabolites in patients with chronic tinnitus: a multi-omics analysis - PMC - PubMed Central, accessed June 2, 2025, <https://pmc.ncbi.nlm.nih.gov/articles/PMC11705945/>
4. Minimal clinically important difference for the Mandarin version of the Tinnitus Questionnaire determined via anchor-based and d, accessed June 2, 2025, <https://d-nb.info/1280789719/34>
5. The effect of MemoVigor 2 on recent-onset idiopathic tinnitus: a randomized double-blind placebo-controlled clinical trial - PubMed Central, accessed June 2, 2025, <https://pmc.ncbi.nlm.nih.gov/articles/PMC10847223/>
6. Establishing a core domain set for early-phase clinical trials of electrical stimulation interventions for tinnitus in adults: an online Delphi study - PubMed, accessed June 2, 2025, <https://pubmed.ncbi.nlm.nih.gov/40037669/>
7. Bojungikgitang and banhabaekchulchonmatang in adult patients with tinnitus, a randomized, double-blind, three-arm, placebo-controlled trial - study protocol - PubMed Central, accessed June 2, 2025, <https://pmc.ncbi.nlm.nih.gov/articles/PMC2859364/>
8. Benefits of Ginkgo Biloba for Tinnitus and Dizziness in Dementia Patients, accessed June 2, 2025, <https://www.tinnitusformula.com/benefits-of-ginkgo-biloba-for-tinnitus-and-dizziness-in-dementia-patients/>
9. (PDF) Ginkgo biloba extract EGb 761 alleviates neurosensory symptoms in patients with dementia: a meta-analysis of treatment effects on tinnitus and dizziness in randomized, placebo-controlled trials - ResearchGate, accessed June 2, 2025,

https://www.researchgate.net/publication/325730495_Ginkgo_biloba_extract_EG_b_761_alleviates_neurosensory_symptoms_in_patients_with_dementia_a_meta-analysis_of_treatment_effects_on_tinnitus_and_dizziness_in_randomized_placebo-controlled_trials

10. Ginkgo biloba Administered Singly and Combined With Antioxidants ..., accessed June 2, 2025, <https://pubmed.ncbi.nlm.nih.gov/36710418/>
11. Ginkgo biloba extract prescriptions are associated with less frequent ..., accessed June 2, 2025, <https://pubmed.ncbi.nlm.nih.gov/39144706/>
12. Ginkgo biloba for tinnitus - PMC - PubMed Central, accessed June 2, 2025, <https://pmc.ncbi.nlm.nih.gov/articles/PMC6926930/>
13. Avoid Ginkgo Biloba for Tinnitus!, accessed June 2, 2025, <https://neuromedcare.com/ginkgo-biloba-for-tinnitus/>
14. The effect of MemoVigor 2 on recent-onset idiopathic tinnitus: a randomized double-blind placebo-controlled clinical trial - PubMed, accessed June 2, 2025, <https://pubmed.ncbi.nlm.nih.gov/38327985/>
15. The Effect of Korean Red Ginseng on Symptoms and Quality of Life ..., accessed June 2, 2025, <https://pubmed.ncbi.nlm.nih.gov/26413574/>
16. The Effect of Korean Red Ginseng on Symptoms and Quality of Life in Chronic Tinnitus: A Randomized, Open-Label Pilot Study - PMC, accessed June 2, 2025, <https://pmc.ncbi.nlm.nih.gov/articles/PMC4582451/>
17. Efficacy of carnitine in treatment of tinnitus: evidence from ... - PubMed, accessed June 2, 2025, <https://pubmed.ncbi.nlm.nih.gov/25751698/>
18. Relationship between serum magnesium level and subjective tinnitus - ResearchGate, accessed June 2, 2025, https://www.researchgate.net/publication/305277769_Relationship_between_serum_magnesium_level_and_subjective_tinnitus
19. Phase 2 study examining magnesium-dependent tinnitus - PubMed, accessed June 2, 2025, <https://pubmed.ncbi.nlm.nih.gov/22249877/>
20. Phase II Study Examining Magnesium Dependent Tinnitus, accessed June 2, 2025, https://repository.arizona.edu/bitstream/10150/221385/5/Patel_Alpen_Poster.pdf
21. Supplementation with açaí (Euterpe Oleracea Martius) for the treatment of chronic tinnitus: effects on perception, anxiety levels and oxidative metabolism biomarkers - PubMed, accessed June 2, 2025, <https://pubmed.ncbi.nlm.nih.gov/35107519/>
22. Neuroprotection Role of Vitamin C by Upregulating Glutamate Transporter-1 in Auditory Cortex of Noise-Induced Tinnitus Animal Model - PubMed, accessed June 2, 2025, <https://pubmed.ncbi.nlm.nih.gov/38451201/>
23. A comprehensive review on the ethnobotany, phytochemistry, pharmacology and quality control of the genus Lycium in China - PubMed, accessed June 2, 2025, <https://pubmed.ncbi.nlm.nih.gov/36912477/>
24. The Usage OF Gou Qi Zi (Goji Berry) Extract for Vison Related Problems and Empowerement OF Kidney's Qi (Energy) - Herald Scholarly Open Access, accessed June 2, 2025, <https://www.heraldopenaccess.us/openaccess/the-usage-of-gou-qi-zi-goji-berry-extract-for-vison-related-problems-and-empowerement-of-kidney-s-qi-ener>

gy

25. An Evidence-Based Systematic Review of Goji (Lycium spp.) by the Natural Standard Research Collaboration | Request PDF - ResearchGate, accessed June 2, 2025,
https://www.researchgate.net/publication/281765807_An_Evidence-Based_Systematic_Review_of_Goji_Lycium_spp_by_the_Natural_Standard_Research_Collaboration
26. The effect of Oenothera biennis (Evening primrose) oil on inflammatory diseases: a systematic review of clinical trials - PubMed, accessed June 2, 2025,
<https://pubmed.ncbi.nlm.nih.gov/38360611/>
27. Association of 15 common dietary factors with tinnitus: a systematic review and meta-analysis of observational studies - PubMed, accessed June 2, 2025,
<https://pubmed.ncbi.nlm.nih.gov/40101973/>
28. A Comprehensive Study of Therapeutic Applications of Chamomile - PMC - PubMed Central, accessed June 2, 2025,
<https://pmc.ncbi.nlm.nih.gov/articles/PMC9611340/>
29. Effects of tea drinking on auditory functions in aged subjects - PubMed, accessed June 2, 2025, <https://pubmed.ncbi.nlm.nih.gov/22456782/>
30. Lavender and the Nervous System - PMC - PubMed Central, accessed June 2, 2025, <https://pmc.ncbi.nlm.nih.gov/articles/PMC3612440/>
31. The possible “calming effect” of subchronic supplementation of a standardised phospholipid carrier-based *Melissa officinalis* L. extract in healthy adults with emotional distress and poor sleep conditions: results from a prospective, randomised, double-blinded, placebo-controlled clinical trial - Frontiers, accessed June 2, 2025,
<https://www.frontiersin.org/journals/pharmacology/articles/10.3389/fphar.2023.1250560/full>
32. #1 Critical MD Cortexi Review | NeuroMed Tinnitus Clinic, accessed June 2, 2025, <https://neuromedcare.com/cortexi-review/>
33. Middle Ear Administration of a Particulate Chitosan Gel in an in vivo Model of Cisplatin Ototoxicity - PubMed, accessed June 2, 2025, <https://pubmed.ncbi.nlm.nih.gov/31293387/>
34. Relationship Between Diet, Tinnitus, and Hearing Difficulties - PMC, accessed June 2, 2025, <https://pmc.ncbi.nlm.nih.gov/articles/PMC7664714/>
35. Glutamate receptor antagonists for tinnitus - PMC - PubMed Central, accessed June 2, 2025, <https://pmc.ncbi.nlm.nih.gov/articles/PMC6458046/>
36. Label: TINNITUS RELIEF- *arnica montana*, *calcarea carbonica*, *chenopodium anthelminticum*, *chininum salicylicum*, *cimicifuga racemo...* - DailyMed, accessed June 2, 2025,
<https://dailymed.nlm.nih.gov/dailymed/drugInfo.cfm?setid=1605d4b0-4be3-4da8-9792-fa0708e24422>
37. Comfrey: A Clinical Overview - PMC - PubMed Central, accessed June 2, 2025, <https://pmc.ncbi.nlm.nih.gov/articles/PMC3491633/>
38. A randomized, open-label, multicenter, comparative study of therapeutic efficacy, safety and tolerability of BNO 1030 extract, containing marshmallow root,

chamomile flowers, horsetail herb, walnut leaves, yarrow herb, oak bark, dandelion herb in the treatment of acute non-bacterial tonsillitis in children aged 6 to 18 years - PubMed, accessed June 2, 2025,
<https://pubmed.ncbi.nlm.nih.gov/30554882/>

39. Evaluation of the Effect of an Aqueous Extract of *Azadirachta indica* (Neem) Leaves and Twigs on Glycemic Control, Endothelial Dysfunction and Systemic Inflammation in Subjects with Type 2 Diabetes Mellitus - PubMed, accessed June 2, 2025, <https://pubmed.ncbi.nlm.nih.gov/33244247/>

40. *Paeonia × suffruticosa* (Moutan Peony)—A Review of the Chemical Composition, Traditional and Professional Use in Medicine, Position in Cosmetics Industries, and Biotechnological Studies, accessed June 2, 2025,
<https://pmc.ncbi.nlm.nih.gov/articles/PMC9739549/>

41. Cornflower Extract and Its Active Components Alleviate Dexamethasone-Induced Muscle Wasting by Targeting Cannabinoid Receptors and Modulating Gut Microbiota - PubMed, accessed June 2, 2025,
<https://pubmed.ncbi.nlm.nih.gov/38674820/>

42. Exploring the Clinical Applications of Lemongrass Essential Oil: A Scoping Review, accessed June 2, 2025, <https://pubmed.ncbi.nlm.nih.gov/38399374/>

43. Intervention Effects of Okra Extract on Brain-Gut Peptides and Intestinal Microorganisms in Sleep Deprivation Rats - PubMed Central, accessed June 2, 2025, <https://pmc.ncbi.nlm.nih.gov/articles/PMC9526647/>

44. Suppressive effects of medicinal plants and their derivatives on inflammasome complex: A systematic review - ResearchGate, accessed June 2, 2025,
https://www.researchgate.net/publication/305619235_Suppressive_effects_of_medicinal_plants_and_their_derivatives_on_inflammasome_complex_A_systematic_review

45. Hearing and Diet (Narrative Review) - PMC - PubMed Central, accessed June 2, 2025, <https://pmc.ncbi.nlm.nih.gov/articles/PMC10908656/>

46. Flavanol-rich lychee fruit extract substantially reduces progressive cognitive and molecular deficits in a triple-transgenic animal model of Alzheimer disease - PubMed, accessed June 2, 2025, <https://pubmed.ncbi.nlm.nih.gov/31603034/>

47. Clinical Validation of Multiflex Tinnitus Technology - StarkeyPro, accessed June 2, 2025,
<https://order.starkeypro.com/pdfs/technical-papers/multiflex-technology-validation.pdf>